

Data Validation State Web Release 4.2.0

RELEASE NOTES

Release Date: March 2011

SUMMARY

The Data Validation (DV) State Web Software Release 4.2.0 has been installed on your system. This release contains a bug fix to the existing web-based DV application.

Use 'Internet Explorer' browser for best performance.

1. Known Issues

| DVWS4-2-0 Benefits Bug Fixes | |
|---|---|
| Problem | Fix |
| The application generates duplicate samples when the DV Sample link is double clicked. This causes the View Samples screen in Data Validation software to throw an "Unexpected Error" due to selection of duplicate cases. Users do not have the ability to save or complete the samples when duplicate records are present. | Modified software to ensure only one instance of Create Samples Business Logic is accessed by the application at a time in View Samples Screen and thus avoiding creation of duplicate cases. The validators need to verify all samples to ensure there are no duplicates prior to starting the validation and also to Single Click on a DV Sample link. |

2. Installation and Setup

The software has been installed on your web system and can be accessed from the Web State Applications Menu Page. See *Menu Access* for details.

3. Menu Access

DV State Web applications can be accessed from the State Web Applications Menu Page. The web application in this release is available under the following menu option:

[Data Validation](#)
[Validation Software](#)

4. Troubleshooting Information

N/A

If any problems are encountered with the software, contact the Office of Unemployment Insurance (OUI) Technical Support Staff (Hotline) at 1 (800) 473-0188 for assistance.

Please provide a copy of these Release Notes to all users of the software.